


SP100 Portable Sampling Pump



- Easy push-button control for exact sample size
- One liter per minute rate at 4 foot head
- Internal rechargeable battery
- Pump approximately 150 liters (40 gallons) between rechargings Weatherproof enclosure
- 15' pickup hose with strainer provided
- Lightweight, rugged, and weather resistant enclosure

Description

The portable peristaltic pump sampler is ideal for sample removal from shallow wells and surface water, including lakes, ponds, and holding pools. The water sampler is lightweight, rugged, easy to use, and requires minimal maintenance. The peristaltic pump is designed to take a manual sample and has the ability to back flush the sample hose once you are finished taking the sample.

Power

All portable water samplers include an internal 5AH 12V DC rechargeable gel cell battery. The SP100 water sampler will pump approximately 150 liters (40 gallons) between rechargings. A battery charger is included with the peristaltic pump and will recharge the battery within 12 hours.

Sampling

To provide high sample integrity, the water sample only comes in contact with the norprene and polyethylene tubing. The tubing is easily cleaned or replaced. To avoid cross contamination or lengthy decontamination procedures simply change the inexpensive tubing between samples.

Specifications

Enclosure: Expanded UV protected PVC (9" x 7.5" x 4.5")

Weight: 6lb (Shipping Weight 7lb)

Operating Temperature: 0-70°C

Sample Pump:

Flow Rate: 1000 ml per minute at 4 ft. head

Type: Peristaltic

Maximum Lift: 22'

Sample Hoses: 15' nylon reinforced 1/4" ID polyethylene flexible tubing section with intake strainer. Hose may be extended, as required, using standard 1/4" tubing and fittings.

Battery: Rechargeable 5 AH Gel Cell

Battery Life: The battery will power the sampler for approximately 2 1/2 hours of continuous sampling.

Options and Accessories

SP100 – Portable Sampling Pump

Bottle not included.

00-418 – One gallon plastic container

00-419 – Two gallon plastic container

00-744 – Norprene Pump Tubing

00-546 – Braided Pickup Hose

Contact
Global Water
for all your
instrumentation
needs:

Water Level

Water Flow

Water Samplers

Water Quality

Weather

Remote Monitoring

Control



Global Water

The Leader in Water Instrumentation

In the U.S. call toll free

at 1-800-876-1172

International: 916-638-3429

Fax: 916-638-3270

Email: globalw@globalw.com

Visit our online catalog at:

www.globalw.com

Our Address:

11390 Amalgam Way

Gold River, CA 95670